

# SendRawTx: Invalid parameters: tx

Invalid parameters: tx      RPC

Transaction {?} is discarded due to out of balance, needs {?} but account balance is {?}

conflux-rust v2.0.2    cfx\_sendRawTransaction    tx.from    value + gasFee + storageC

## nonce

nonce

tx already exist

nonce

Tx with same nonce already inserted

nonce

Transaction 0xxx is discarded due to a too stale nonce

nonce      nonce      nonce

Transaction 0xxx is discarded due to in too distant future

nonce      nonce      current nonce - current nonce + 2000      nonce

## gasPrice

## ZeroGasPrice

gasPrice 0 gasPrice 0.

transaction gas price 1000000 less than the minimum value 1000000000

conflux-rust v2.0.2 gasPrice 1GDrip 9 0 gasPrice

## gas

gas

NotEnoughBaseGas { required: 21000, got: 2000 }

gas 21000

transaction gas 20000000 exceeds the maximum value 15000000, the half of pivot block gas limit

gas 1500w

EpochHeightOutOfBound { block\_height: 53800739, set: 0, transaction\_epoch\_bound: 100000 }

epochHeight 10w epoch

Unsupported receiver address type

ChainIdMismatch { expected: 1, got: 2 }

chainId chainId

RlpIncorrectListLen

Rlp

Can not recover pubkey for Ethereum like tx

txpool is full

Failed imported to deferred pool: Transaction Pool is full

Request rejected due to still in the catch up mode.

catch up

Failed to read account\_cache from storage: {}

RPC [tx\\_sendRawTransaction](#) error

---

Revision #14

Created 10 June 2022 10:47:20 by Pana

Updated 17 June 2022 01:28:08 by Pana