

SendRawTx: Invalid parameters: tx

Invalid parameters: tx RPC

Transaction {?} is discarded due to out of balance, needs {?} but account balance is {?}

conflux-rust v2.0.2 cfx_sendRawTransaction tx.from value + gasFee + storageC

nonce

nonce

tx already exist

nonce

Tx with same nonce already inserted

nonce

Transaction 0xxx is discarded due to a too stale nonce

nonce nonce nonce

Transaction 0xxx is discarded due to in too distant future

nonce nonce current nonce - current nonce + 2000 nonce

gasPrice

ZeroGasPrice

gasPrice 0 gasPrice 0.

transaction gas price 1000000 less than the minimum value 1000000000

conflux-rust v2.0.2 gasPrice 1GDrip 9 0 gasPrice

gas

gas

NotEnoughBaseGas { required: 21000, got: 2000 }

gas 21000

transaction gas 20000000 exceeds the maximum value 15000000, the half of pivot block gas limit

gas 1500w

EpochHeightOutOfBound { block_height: 53800739, set: 0, transaction_epoch_bound: 100000 }

epochHeight 10w epoch

Unsupported receiver address type

ChainIdMismatch { expected: 1, got: 2 }

chainId chainId

RlpIncorrectListLen

Rlp

Can not recover pubkey for Ethereum like tx

txpool is full

Failed imported to deferred pool: Transaction Pool is full

Request rejected due to still in the catch up mode.

catch up

Failed to read account_cache from storage: {}

RPC [tx_sendRawTransaction](#) error

Revision #14

Created 10 June 2022 10:47:20 by Pana

Updated 17 June 2022 01:28:08 by Pana